

**WENZEL**

 **Metromec**

Products and Modules  
Metro**soft** **QUARTIS**<sup>®</sup> **R5**

**Products and Modules Metrosoft QUARTIS R5**

## Products – the extensive standard equipment

Metrosoft QUARTIS products contain an extensive collection of functions for the coordinate measuring technology. For extended and customized functionality the products are completed with modules.

### ■ Metrosoft QUARTIS

Metrosoft QUARTIS is the standard product for measurement and evaluation on Cartesian CNC coordinate measuring machines. Measurement and programming can be executed online or offline.

Elements can be calculated and evaluated with a free choice of measurement strategies, different regression calculations (least squares, Chebychev, minimum circumscribed, maximum inscribed, tangential) and normalized filters.

The geometry and temperature compensation guarantee best possible measuring results.

For the alignment, a powerful Bestfit for free-form and geometry as well as a RPS alignment are available besides the basic functions "primary direction, secondary direction and origin".

Form and position evaluations according to ISO 1101 / ASME Y14.5M, statistical functions with machine and process capability as well as flexible creation of reports are also included.

The quick selection table and user management offer easy user guidance for the execution of measurement programs.

Measuring programs and results are stored and managed in the integrated relational database.

The language of the user interface and the measurement reports can be set separately. The following languages are available: German, English, French, Italian, Swedish, Simplified Chinese, Slovak, Spanish, Czech.

The following devices can be operated: WENZEL WPC 2030, WENZEL WPC 2040, WENZEL PointMaster, WENZEL exact Analysis and I++ DME Server.

### ■ Metrosoft QUARTIS Offline

Metrosoft QUARTIS Offline is the product for pure offline programming. It is not possible to connect to a measuring machine. Besides this restriction, the same functions as in the product Metrosoft QUARTIS are included.

#### **Notice:**

The same modules are required on a Metrosoft QUARTIS Offline license as on the license for the measuring machine. For example, in order to program a probe rotation offline, the module IPH has to be available.

PH20 movements cannot be simulated with Metrosoft QUARTIS offline. In order to do so, the product Metrosoft QUARTIS in connection with an offline UCC Server Software is required.

## Application modules – expand the basis functionality

Application modules expand the basis functionality of Metrosoft QUARTIS products with powerful functionality for specific applications.

### ■ CURVE

The module CURVE allows CNC measurement of curves against nominal curves in the CAD model. The probe radius correction is carried out two dimensional in the plane of the curve. The evaluation of the profile tolerance "Line profile" can either be carried out with or without reference, as well as with unilateral or equilateral tolerance zone. The curve is displayed with the tolerance zone in the element graphics. Curves can be divided in lines and circles using the extract function.

### ■ SURF

The module SURF allows CNC measurement of surfaces as well as points and edge points with projection onto the CAD model. The probe radius correction is carried out perpendicular to the CAD surface. The evaluation of the profile tolerance "Surface profile" can be carried out with or without references as well as with unilateral or equilateral tolerance zone.

### ■ Q-DAS

The module Q-DAS allows the export of measuring results into the Q-DAS ASCII transfer format. The K fields to be exported can be configured at will.

### ■ IMPEX-ELEM

The module IMPEX-ELEM allows importing and exporting element data in the VDA-FS format.

## Device modules – for optional machine components

Device modules expand Metrosoft QUARTIS products for certain measuring machine component and their application.

### ■ IPH (Indexing Probe Head)

The IPH module supports the calibration and operation of the following indexed articulating probing systems from Renishaw: PH10M, PH10MQ, PH10T.

A generic probe head is available if the measuring machine is controlled via an I++ DME Server.

### ■ CPH (Continuous Probe Head)

The module CPH allows calibrating and operating a continuously variable probe head that can be positioned in any direction. Once calibrated, one can directly measure with any angle position.

The Module CPH supports the PH20 from Renishaw.

A generic continuously variable probe head is available if the measuring machine is controlled via an I++ DME Server.

### ■ PRC (Probe Changer)

The following stylus changing systems and changing rack ports from Renishaw can be calibrated and used: ACR3, FCR25, MCR20, SCR200, SCP80.

### ■ SCAN

The module SCAN allows scanning of the elements line, plane, circle, cylinder, cone, sphere and curve with scanning probe systems. Normalized filters and outlier elimination guarantee optimal results. Scanning is carried out on known or unknown scan paths. Exceptional fast scanning is possible using a WENZEL WPC 2040 controller with Ethernet connection.

The following scanning probes from Renishaw are supported: SP25, SP600 and SP80.

## CAD interface modules – the basis for efficient measurements

CAD interface modules allow importing CAD models in different formats. Metrosoft QUARTIS internally uses the ACIS format from Spatial Corporation. Data sets in ACIS format can be imported without a specific module.

### ■ VDA-FS

Import of CAD data in VDA-FS format (version 1.0 + 2.0)

### ■ IGES

Import of CAD data in IGES format (up to version 5.3)

### ■ STEP

Import of CAD data in STEP format (version AP203 + AP214)

### ■ DXF

Import of CAD data in DXF (AutoCAD) format (version 2000/2002 + R12)

### ■ CATIA-4

Import of CAD data in CATIA V4 native format (version 4.1.x + 4.2.x)

### ■ CATIA-5

Import of CAD data in CATIA V5 native format (version R5 - R20)

### ■ PRO-E

Import of CAD data in Pro/ENGINEER native format (version 16 - Wildfire5)

### ■ NX

Import of CAD data in Siemens NX (former Unigraphics) native format (up to version NX7.5)

### ■ PS

Import of CAD data in Parasolid native format (up to version 22)

### ■ SE

Import of CAD data in Solid Edge native format (up to version v20 + ST3)

### ■ SW

Import of CAD data in SolidWorks native format (versions 1999 - 2011)



**WENZEL Metromec AG**

Rheinfelsstrasse 1  
CH-7007 Chur / Switzerland  
Phone: +41 81 257 07 00  
Fax: +41 81 257 07 01  
E-Mail: [metromec@metromec.ch](mailto:metromec@metromec.ch)  
Web: [www.metromec.ch](http://www.metromec.ch)

**WENZEL Group GmbH & Co. KG**

Werner-Wenzel-Strasse  
D-97859 Wiesthal / Germany  
Phone: +49 6020 201-0  
Fax: +49 6020 201-1999  
E-Mail: [info@wenzel-group.com](mailto:info@wenzel-group.com)  
Web: [www.wenzel-group.com](http://www.wenzel-group.com)